



## China 608zz Bearing Supplier



6215 Bearing 2D drawings and 3D CAD models

### Koyo Brand Steel Shield 6215 ZZ C3 Single Row Deep Groove Ball Bearing

Bearing No. 6215

|                               |                          |
|-------------------------------|--------------------------|
| Size                          | 75x130x25 mm             |
| Bore Diameter                 | 75 mm                    |
| Outer Diameter                | 130 mm                   |
| Width                         | 25 mm                    |
| d                             | 75 mm                    |
| D                             | 130 mm                   |
| B                             | 25 mm                    |
| C                             | 25 mm                    |
| r min.                        | 1,5 mm                   |
| da min.                       | 83 mm                    |
| Da max.                       | 122 mm                   |
| ra max.                       | 1,5 mm                   |
| Weight                        | 1,18 Kg                  |
| Basic dynamic load rating (C) | 67,4 kN                  |
| Basic static load rating (C0) | 48,3 kN                  |
| (Grease) Lubrication Speed    | 4800 r/min               |
| (Oil) Lubrication Speed       | 5800 r/min               |
| Category                      | Single Row Ball Bearings |
| Inventory                     | 0.0                      |
| Manufacturer Name             | KOYO                     |
| Minimum Buy Quantity          | N/A                      |
| Weight / Kilogram             | 1.239                    |
| EAN                           | 0605790067440            |
| Product Group                 | B00308                   |
| Enclosure                     | Open                     |



## China 608zz Bearing Supplier

|                                 |   |
|---------------------------------|---|
| Precision Class                 | ABEC 1   ISO P0   |
| Maximum Capacity / Filling Slot | No  |
| Rolling Element                 | Ball Bearing  |
| Snap Ring                       | No  |
| Internal Special Features       | No  |
| Cage Material                   | Steel   |
| Internal Clearance              | C0-Medium   |
| Inch - Metric                   | Metric  |
| Long Description                | 75MM Bore; 130MM Outside Diameter; 25MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features |
| Category                        | Single Row Ball Bearing   |
| UNSPSC                          | 31171504  |
| Harmonized Tariff Code          | 8482.10.50.68   |
| Noun                            | Bearing   |
| Keyword String                  | Ball  |
| Manufacturer URL                | <a href="http://www.koyousa.com">http://www.koyousa.com</a>   |
| Manufacturer Item Number        | 6215  |
| Weight / LBS                    | 2.729   |
| Outside Diameter                | 5.118 Inch   130 Millimeter   |
| Outer Race Width                | 0.984 Inch   25 Millimeter  |
| Bore                            | 2.953 Inch   75 Millimeter  |
| Bearing No.                     | 6215  |
| r(min)                          | 1.5   |
| Cr                              | 84.3  |
| C0r                             | 48.3  |
| Cu                              | 3.10  |
| f0                              | 14.5  |
| Grease lub.                     | 4800  |
|                                 |   |



## China 608zz Bearing Supplier

|                  |      |
|------------------|------|
| Oil lub.         | 5800 |
| da(min)          | 83   |
| Da(max)          | 122  |
| ra(max)          | 1.5  |
| (Refer.)Mass(kg) | 1.18 |